AUG 0 8 2006

TRANSMITTAL FORM

(to be used for all correspondence after initial filing)

Application Number	10/768,762
Filing Date	01/29/2004
First Named Inventor	Dunsmore
Group Art Unit	1775
Examiner Name	Baldwin, George
Attorney Docket Number	TAL:8460.0002

Total Number of Pages in this Submission	7	Attorney Docket Number	TA	TAL:8460.0002	
ENCLOSURES (check all that apply)					
☐ Fee transmittal form ☐ Fee attached	1_	□ Drawing(s) □ Licensing Related Papers		After Allowance Communication to Group	
		Petition Petition to Convert to a Provision Application Power of Attorney, Revocation, Change of Correspondence Address Terminal Disclaimer Request for Refund CD, Number of Cd(s) marks: Other enclosures: Return Receipt Postcard		□ Appeal Communication to Board of Appeals and Interferences □ Appeal Communication to Group (Appeal Notice, Brief, Reply Brief) □ Proprietary Information □ Status Letter ☑ Other Enclosures (identify below)	
SIGNATURE OF APPLICANT, ATTORNEY OR AGENT					
Firm or Individual Name	Ch	ernoff, Vilhauer, McClung & Ster	ızel l	L.P.	
Signature	7	Tioly a Ly			
Date	Aug	gust 4, 2006 /			
CERTIFICATE OFTRANSMISSION/ MAILING					
I hereby certify that, on the date shown below facsimile transmitted to the USPTO or deposited with the United States Post. Patents, P.O. Box 1450, Alexandria, With sufficient postage as firs as "Express Mail Post Office	r tal Serv VA 223 st class to Add	vice in an envelope addressed to: Ma 813-1450 s mail	ail Sto	op Amendment, Commissioner for	
Type or print name Timothy A. Long					
Signature	ب ر	a = 1	ate	August 4, 2006	

Appl. No.

: 10/768,762

Applicant

Dunsmore

Filed

: 01/29/2004

Title

: A MEDICAL DEVICE HAVING A SMOOTH HARDENED SURFACE

TC/A.U.

: 1775

Examiner

Baldwin, George

Docket No. : TAL:8460.0002

Mail Stop Amendment Commissioner for Patents P.O. Box 1450 Alexandria VA 22313-1450

RESPONSE TO REQUIREMENT FOR RESTRICTION **AND**

PRELIMINARY AMENDMENT

Sir:

In response to the Office action of July 6, 2006, please amend the above-identified application as follows:

There are no Amendments to the Specification in this paper.

Amendments to the Claims are reflected in the listing of claims which begins on page 2 of this paper.

There are no Amendments to the Drawings in this paper.

Remarks/Arguments begin on page 6 of this paper.